

Department of Environmental Quality

Richard W. Sprott Executive Director

DIVISION OF SOLID AND HAZARDOUS WASTE Dennis R. Downs *Director* JON M. HUNTSMAN, JR. Governor

GARY HERBERT Lieutenant Governor

A regular meeting of the Utah Solid and Hazardous Waste Control Board has been scheduled for September 13, 2007 at 1:00 p.m. in the Department of Environmental Quality Conference Room 101, located at 168 North 1950 West, (Bldg. #2), SLC.

TENTATIVE AGENDA

- I. Call to Order
- II. Approval of Meeting Minutes for the August 9, 2007 Board Meeting (Board Action Item)
- III. Underground Storage Tanks Update
 - A. Energy Act Government Owned Tanks Report Summary
- IV. Governor's Methamphetamine Joint Task Force Update
- V. Facility Perpetual Care Fund Legislation
- VI. Commercial/Federal Facilities Section
 - A. Proposed Stipulation and Consent Order between the Board and Clean Harbors, Aragonite Facility ((Board Action Item)
 - B. EnergySolutions LLC request for a one-time, site-specific treatment variance for cemented uranium extraction process residues ((Board Action Item)
 - C. Energy/Solutions LLC request for a one-time, site-specific treatment variance for Osmium Tetroxide waste (Information Item Only)
 - D. Energy/Solutions LLC request for a one-time, site-specific treatment variance for lead contaminated waste with PCBs (Information Item Only)
- VII. Chemical Demilitarization Section
 - A. Dugway request for a Treatability Study Sample Quantity Variance ((Board Action Item)
 - B. Proposed Stipulation and Consent Order between the Board and DCD (Information Item Only)
 - C. TOCDF Update
- VIII. Other Business
 - A. Misc. information items
 - B. The next Board meeting will be held on October 11, 2007 at 1:00 p.m. in the UDEQ, Building #2, (Conference Room 101)
- IX. Adjourn

In compliance with the Americans with Disabilities Act, individuals with special needs (including auxiliary communicative aids and services) should contact Brooke Baker, Office of Human Resources at (801) 536-4412 TDD (801) 536-4414.